

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
Hardware: CPU - AMD Ryzen 9 5900X 12-Core Processor				
Sensor: Temperature				
Core (Tctl)	48,4°C	41,9°C	54,6°C	44,7°C
Core (Tdie)	48,4°C	41,9°C	54,6°C	44,7°C
Sensor: Distance To Tj Max				
TjMax Distance	42°C	35°C	48°C	45°C
Sensor: Utilization				
CPU Total	1,0%	0,0%	7,8%	2,5%
CPU Core 1:	0,0%	0,0%	34,9%	1,0%
CPU Core 2:	0,0%	0,0%	7,2%	1,2%
CPU Core 3:	0,0%	0,0%	15,2%	2,6%
CPU Core 4:	14,1%	0,0%	39,1%	14,2%
CPU Core 5:	1,8%	0,0%	43,5%	12,8%
CPU Core 6:	0,0%	0,0%	6,2%	0,8%
CPU Core 7:	0,0%	0,0%	6,5%	0,9%
CPU Core 8:	0,0%	0,0%	6,2%	0,8%
CPU Core 9:	0,0%	0,0%	6,2%	0,8%
CPU Core 10:	0,0%	0,0%	6,2%	0,7%
CPU Core 11:	0,0%	0,0%	6,2%	0,8%
CPU Core 12:	1,5%	0,0%	5,1%	0,8%
Sensor: Clock Speed				
CPU Package	3,58 GHz	3,31 GHz	3,92 GHz	3,57 GHz
CPU Core 1:	3,60 GHz	2,90 GHz	3,96 GHz	3,50 GHz
CPU Core 2:	3,60 GHz	2,88 GHz	3,96 GHz	3,48 GHz
CPU Core 3:	3,60 GHz	2,90 GHz	3,96 GHz	3,48 GHz
CPU Core 4:	3,60 GHz	2,90 GHz	4,95 GHz	3,67 GHz
CPU Core 5:	3,60 GHz	2,92 GHz	4,95 GHz	3,67 GHz
CPU Core 6:	3,60 GHz	2,90 GHz	3,96 GHz	3,42 GHz
CPU Core 7:	3,60 GHz	3,04 GHz	3,65 GHz	3,60 GHz

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
CPU Core 8:	3,60 GHz	3,04 GHz	3,65 GHz	3,60 GHz
CPU Core 9:	3,60 GHz	3,04 GHz	3,65 GHz	3,60 GHz
CPU Core 10:	3,60 GHz	3,04 GHz	3,65 GHz	3,60 GHz
CPU Core 11:	3,60 GHz	3,04 GHz	3,65 GHz	3,60 GHz
CPU Core 12:	3,60 GHz	3,60 GHz	3,80 GHz	3,60 GHz
Sensor: Multiplier				
CPU Package	36 x	33 x	39 x	35 x
CPU Core 1:	36 x	29 x	40 x	35 x
CPU Core 2:	36 x	29 x	40 x	35 x
CPU Core 3:	36 x	29 x	40 x	35 x
CPU Core 4:	36 x	29 x	50 x	37 x
CPU Core 5:	36 x	29 x	50 x	37 x
CPU Core 6:	36 x	29 x	40 x	34 x
CPU Core 7:	36 x	30 x	37 x	36 x
CPU Core 8:	36 x	30 x	37 x	36 x
CPU Core 9:	36 x	30 x	37 x	36 x
CPU Core 10:	36 x	30 x	37 x	36 x
CPU Core 11:	36 x	30 x	37 x	36 x
CPU Core 12:	36 x	36 x	38 x	36 x
Sensor: Bus Speed				
Bus Speed	100,000	100,000	100,001	100,000
Sensor: Power				
Package Power	43,30 W	41,40 W	124,11 W	46,80 W
CPU Core 1:	0,02 W	0,02 W	8,35 W	0,17 W
CPU Core 2:	0,02 W	0,02 W	0,78 W	0,08 W
CPU Core 3:	0,16 W	0,02 W	2,85 W	0,39 W
CPU Core 4:	1,68 W	0,93 W	9,95 W	1,84 W
CPU Core 5:	0,62 W	0,41 W	12,45 W	1,82 W
CPU Core 6:	0,02 W	0,02 W	0,29 W	0,04 W

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
CPU Core 7:	0,00 W	0,00 W	1,12 W	0,04 W
CPU Core 8:	0,00 W	0,00 W	0,14 W	0,01 W
CPU Core 9:	0,00 W	0,00 W	0,15 W	0,01 W
CPU Core 10:	0,00 W	0,00 W	0,13 W	0,01 W
CPU Core 11:	0,00 W	0,00 W	1,06 W	0,04 W
CPU Core 12:	0,02 W	0,02 W	2,98 W	0,27 W
Sensor: Voltage				
Core SVI2	0,969 V	0,963 V	1,469 V	1,065 V
Core VID 1	0,969 V	0,963 V	1,475 V	1,035 V
Core VID 2	0,969 V	0,963 V	1,475 V	1,036 V
Core VID 3	0,969 V	0,963 V	1,475 V	1,036 V
Core VID 4	0,969 V	0,963 V	1,469 V	1,040 V
Core VID 5	0,969 V	0,963 V	1,469 V	1,049 V
Core VID 6	0,969 V	0,963 V	1,469 V	1,050 V
Core VID 7	0,969 V	0,963 V	1,469 V	1,051 V
Core VID 8	0,969 V	0,963 V	1,469 V	1,052 V
Core VID 9	0,969 V	0,963 V	1,469 V	1,053 V
Core VID 10	0,969 V	0,963 V	1,469 V	1,056 V
Core VID 11	0,969 V	0,963 V	1,469 V	1,058 V
Core VID 12	0,969 V	0,963 V	1,469 V	1,058 V
Hardware: System memory				
Sensor: Physical memory				
Memory Total	63,92 GB	63,92 GB	63,92 GB	63,92 GB
Memoy Available	47,15 GB	47,10 GB	47,19 GB	47,14 GB
Memory Used	16,76 GB	16,72 GB	16,82 GB	16,77 GB
Paged Pool Memory	1,02 GB	1,02 GB	1,02 GB	1,02 GB
Non Paged Pool Memor	461,36 MB	460,92 MB	464,36 MB	461,56 MB
Memory Reserved	86,14 MB	86,14 MB	86,14 MB	86,14 MB
System Cache	405,09 MB	404,67 MB	406,30 MB	405,07 MB

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
Sensor: Committed memory				
Memory Commit Limit	67,92 GB	67,92 GB	67,92 GB	67,92 GB
Memory Committed	25,34 GB	25,31 GB	25,43 GB	25,37 GB
Memory Peak	55,87 GB	55,87 GB	55,87 GB	55,87 GB
Memory Shared	2,73 GB	2,72 GB	2,75 GB	2,73 GB
Sensor: Memory lists				
Standby Memory Priorit	33,62 GB	33,62 GB	33,63 GB	33,62 GB
Modified Memory List	561,23 MB	561,21 MB	583,09 MB	572,27 MB
Modified pagefile list	561,12 MB	561,10 MB	582,71 MB	571,95 MB
Zeroed Memory List	13,53 GB	13,43 GB	13,55 GB	13,51 GB
Sensor: Standby priority list				
Standby Priority 0	12,99 MB	12,99 MB	12,99 MB	12,99 MB
Standby Priority 1	9,96 GB	9,96 GB	9,96 GB	9,96 GB
Standby Priority 2	6,08 GB	6,08 GB	6,09 GB	6,09 GB
Standby Priority 3	57,66 MB	57,66 MB	57,66 MB	57,66 MB
Standby Priority 4	1,94 GB	1,94 GB	1,94 GB	1,94 GB
Standby Priority 5	15,53 GB	15,52 GB	15,53 GB	15,52 GB
Standby Priority 6	0	0	0	0
Standby Priority 7	45,41 MB	45,37 MB	45,41 MB	45,39 MB
Hardware: GPU - NVIDIA GeForce RTX 3060 Ti				
Sensor: Temperature				
GPU Core	30°C	30°C	30°C	30°C
GPU HotSpot	42°C	42°C	42°C	42°C
Sensor: Utilization				
GPU Core	9,0%	0,0%	26,0%	9,0%
GPU Frame	12,0%	7,0%	31,0%	15,9%
GPU Video	0,0%	0,0%	0,0%	0,0%
GPU Bus	1,0%	0,0%	2,0%	0,2%

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
GPU Memory	21,2%	20,9%	21,2%	21,0%
Sensor: Clock Speed				
GPU Core	0,21 GHz	0,21 GHz	0,24 GHz	0,21 GHz
GPU Memory	0,41 GHz	0,41 GHz	0,41 GHz	0,41 GHz
GPU Video	0,60 GHz	0,60 GHz	0,60 GHz	0,60 GHz
GPU Shader	0,00 GHz	0,00 GHz	0,00 GHz	0,00 GHz
Sensor: Power				
GPU Core	14,74 W	14,74 W	22,21 W	18,45 W
Sensor: Fan Data				
GPU Fan	1142,0 RPM	1137,0 RPM	1159,0 RPM	1150,2 RPM
Sensor: Bandwidth				
PCIe Rx Bandwidth	0,0 MBs	0,0 MBs	442,4 MBs	33,6 MBs
PCIe Tx Bandwidth	6,8 MBs	0,0 MBs	41,0 MBs	3,6 MBs
Sensor: GPU Memory				
GPU Memory Total	8,00 GB	8,00 GB	8,00 GB	8,00 GB
GPU Memory Used	1,69 GB	1,67 GB	1,69 GB	1,68 GB
GPU Memory Free	6,31 GB	6,31 GB	6,33 GB	6,32 GB
Sensor: Setting Control				
GPU Fan	40,0 %	40,0 %	40,0 %	40,0 %
Sensor: Performance Limit Reasons				
Application Clock Limit	Inactive	Inactive	Inactive	Inactive
GPU Display Clock Setti	Inactive	Inactive	Inactive	Inactive
GPU Utilization Low	Active	Active	Active	Active
GPU Power Brake Asser	Inactive	Inactive	Inactive	Inactive
GPU HW Slowdown	Inactive	Inactive	Inactive	Inactive
GPU Power Limit	Inactive	Inactive	Inactive	Inactive
GPU Thermal Limit	Inactive	Inactive	Inactive	Inactive
GPU Sync Boost	Inactive	Inactive	Inactive	Inactive

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
Hardware: Harddrive - TOSHIBA MQ04ABF100				
Sensor: Temperature				
Temperature	31°C	31°C	31°C	31°C
Sensor: Utilization				
Used Space (D:\)	60,1%	60,1%	60,1%	60,1%
Sensor: S.M.A.R.T Other				
Power On Hours	6540,0	6540,0	6540,0	6540,0
Hardware: Harddrive 1 - Samsung SSD 870 EVO 250GB				
Sensor: Temperature				
Airflow Temperature	38°C	38°C	40°C	38,9°C
Sensor: Utilization				
Used Space (C:\)	91,7%	91,7%	91,7%	91,7%
Sensor: S.M.A.R.T Other				
Power On Hours	4321,0	4321,0	4321,0	4321,0
Hardware: Harddrive 2 - ST1000DM003-1ER162				
Sensor: Temperature				
Temperature	29°C	29°C	29°C	29°C
Airflow Temperature	29°C	29°C	29°C	29°C
Sensor: Utilization				
Used Space (E:\)	86,1%	86,1%	86,1%	86,1%
Sensor: S.M.A.R.T Other				
Power On Hours	19757,0	19757,0	19757,0	19757,0
Hardware: Harddrive 3 - WDC WD10EZRX-00A8LB0				
Sensor: Temperature				
Temperature	27°C	27°C	27°C	27°C
Sensor: Utilization				

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
Used Space (F:\)	26,8%	26,8%	26,8%	26,8%
Sensor: S.M.A.R.T Other				
Power On Hours	34753,0	34753,0	34753,0	34753,0
Hardware: Harddrive 4 - KINGSTON SKC3000S1024G				
Sensor: Temperature				
Temperature	30°C	30°C	30°C	30°C
Sensor: Utilization				
Used Space (I:\)	62,7%	62,7%	62,7%	62,7%
Sensor: Levels				
Available Spare	100,0%	100,0%	100,0%	100,0%
Available Spare Thresh	10,0%	10,0%	10,0%	10,0%
Percentage Used	0,0%	0,0%	0,0%	0,0%
Sensor: Data				
Data Read	1084,0 GB	1084,0 GB	1084,0 GB	1084,0 GB
Data Written	1827,0 GB	1827,0 GB	1827,0 GB	1827,0 GB
Hardware: Harddrive 5 - ADATA SX8100NP				
Sensor: Temperature				
Temperature	37°C	37°C	37°C	37°C
Sensor: Utilization				
Used Space (H:\)	97,6%	97,6%	97,6%	97,6%
Sensor: Levels				
Available Spare	100,0%	100,0%	100,0%	100,0%
Available Spare Thresh	32,0%	32,0%	32,0%	32,0%
Percentage Used	0,0%	0,0%	0,0%	0,0%
Sensor: Data				
Data Read	1782,0 GB	1782,0 GB	1782,0 GB	1782,0 GB
Data Written	2882,0 GB	2882,0 GB	2882,0 GB	2882,0 GB

Sensor report for system: System manufacturer System Product Name

Name	Current	Minimum	Maximum	Average
Hardware: Harddrive 6 - Patriot M.2 P300				
Sensor: Temperature				
Temperature	9°C	9°C	10°C	9,8°C
Sensor: Utilization				
Used Space (G:\)	94,4%	94,4%	94,4%	94,4%
Sensor: Levels				
Available Spare	100,0%	100,0%	100,0%	100,0%
Available Spare Thresh	5,0%	5,0%	5,0%	5,0%
Percentage Used	1,0%	1,0%	1,0%	1,0%
Sensor: Data				
Data Read	8209,0 GB	8209,0 GB	8209,0 GB	8209,0 GB
Data Written	5403,0 GB	5403,0 GB	5403,0 GB	5403,0 GB